

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	: Jun KUMAGAI et al	<u>Certificate of Correction Branch</u>
Patent No.	: 7,141,937	Issued: Nov. 28, 2006
Appln. No.	: 10/532,822 (U.S. National Stage of PCT/JP2003/012319)	Filed: September 26, 2003
For	: HIGH-PRESSURE DISCHARGE LAMP OPERATION DEVICE AND ILLUMINATION APPLIANCE HAVING THE SAME	

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Certificate of Correction Branch
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent which are apparently the fault of the U.S. Patent and Trademark Office, as per the attached Certificate of Correction. Since the errors are the fault of the USPTO, no fee is due.

At column 28, line 22 (claim 2, line 6) of the printed patent, "alert" should be --- alternately---. This appears correctly in claim 2 of the Preliminary Amendment filed on April 26, 2005.

At column 29, line 49 (claim 16, line 2) of the printed patent, "herein" should be --- wherein---. This appears correctly in claim 19 of the Preliminary Amendment filed on April

26, 2005.

At column 30, line 12 (claim 19, line 2) of the printed patent, “resist” should be --- resistor---. This appears correctly in claim 28 of the Preliminary Amendment filed on April 26, 2005.

At column 30, line 17 (claim 19, line 7) of the printed patent, “doser” should be --- closer---. This appears correctly in claim 28 of the Preliminary Amendment filed on April 26, 2005.

At column 32, line 11 (claim 34, line 4) of the printed patent, “disc” should be --- discretely---. This appears correctly in claim 38 of the Preliminary Amendment filed on April 26, 2005.

At column 32, line 37 (claim 39, line 4) of the printed patent, “ateratey” should be --- alternately---. This appears correctly in claim 40 of the Preliminary Amendment filed on April 26, 2005.

At column 33, line 16 (claim 44, line 7) of the printed patent, “doser” should be --- closer---. This appears correctly in claim 51 of the Preliminary Amendment filed on April 26, 2005.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

At column 28, line 22 (claim 2, line 6) of the printed patent, change “alert” to --- alternately---.

At column 29, line 49 (claim 16, line 2) of the printed patent, change “herein” to --- wherein---.

At column 30, line 12 (claim 19, line 2) of the printed patent, change “resist” to ---

resistor---.

At column 30, line 17 (claim 19, line 7) of the printed patent, change "doser" to ---closer-
--.


At column 32, line 11 (claim 34, line 4) of the printed patent, change "disc" to ---
discretely---.

At column 32, line 37 (claim 39, line 4) of the printed patent, change "ateratey" to ---
alternately---.

At column 33, line 16 (claim 44, line 7) of the printed patent, change "doser" to ---
closer---.

Should there be any questions, the Examiner is invited to contact the undersigned at the
below-listed number.

Respectfully submitted,
Jun KUMAGAI et al.



Bruce H. Bernstein
Reg. No. 29,027

William Pieprz
Reg. No. 33,630

September 18, 2007
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,141,937
APPLICATION NO.: 10/532,822
ISSUE DATE : Nov. 28, 2006
INVENTOR(S) : Kumagai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 28, line 22 (claim 2, line 6) of the printed patent, "alert" should be ---alternately---

At column 29, line 49 (claim 16, line 2) of the printed patent, "herein" should be ---wherein---

At column 30, line 12 (claim 19, line 2) of the printed patent, "resist" should be ---resistor---

At column 30, line 17 (claim 19, line 7) of the printed patent, "doser" should be ---closer---

At column 32, line 11 (claim 34, line 4) of the printed patent, "disc" should be ---discretely---

At column 32, line 37 (claim 39, line 4) of the printed patent, "ateratey" should be ---alternately---

At column 33, line 16 (claim 44, line 7) of the printed patent, "doser" should be ---closer---

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.